ELSEVIER

Neuroscience Letters 250 (1998) 212–214

Neuroscience Letters

Contents to Volume 250

Volume 250, no. 1

Guidelines for the Submission of Manuscripts v

Brefeldin A-induced apoptosis is expressed in rat neurons with dephosphorylated tau protein
C. Yardin, F. Terro, F. Esclaire, M. Rigaud, J. Hugon (France) 1

Motor cortex plasticity during constraint-induced movement therapy in stroke patients
J. Liepert, W.H.R. Miltner, H. Bauder, M. Sommer, C. Dettmers, E. Taub, C. Weiller (Germany, USA) 5

JTP-2942, a novel thyrotropin-releasing hormone analogue, protects against spinal motor neuron degeneration in the wobbler mouse
K. Ikeda, Y. Iwasaki, M. Kinoshita (Japan) 9

Effects of hippocampal lesions on striatolimbic ionotropic glutamatergic receptors
F.I. Tarazi, A. Campbell, R.J. Baldessarini (USA) 13

Sensitivity of the rat hippocampal $GABA_A$ receptor $\alpha 4$ subunit to electroshock seizures
M. Clark (USA) 17

Nociceptin/orphanin FQ binding increases in superficial laminae of the rat spinal cord during persistent peripheral inflammation
Y.-p. Jia, D.R. Linden, J.R. Serie, V.S. Seybold (USA) 21

Effects of repeated systemic administration of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) to mice on interleukin-1β and nerve growth factor in the striatum
M. Mogi, A. Togari, M. Ogawa, K. Ikeguchi, N. Shizuma, D.-s. Fan, I. Nakano, T. Nagatsu (Japan) 25

Globus pallidus lesions inhibit the induction of c-Fos by haloperidol in the basal ganglia output nuclei in rats
H. Miwa, K. Nishi, T. Fuwa, Y. Mizuno (Japan) 29

An increase in [^{3}H]QNB binding by proton-beam irradiation in intact rat brain: an apparent positive cooperativity of binding
O. Inoue, K. Kobayashi, N. Takai, Y. Furusawa, K. Ando, T. Nakano, T. Nishimura (Japan) 33

The identification of secreted heat shock 60 -like protein from rat glial cells and a human neuroblastoma cell line
M. Bassan, R. Zamostiano, E. Giladi, A. Davidson, Y. Wollman, J. Pitman, J. Hauser, D.E. Brenneman, I. Gozes (Israel, USA) 37

Dopamine-degrading activity of monoamine oxidase in locus coeruleus and dorsal raphe nucleus neurons. A histochemical study in the rat
R. Arai, K. Horiike, Y. Hasegawa (Japan) 41

Circulating neuropeptide Y (NPY) and catecholamines in rat under resting and stress conditions. Arguments for extra-adrenal origin of NPY, adrenal and extra-adrenal sources of catecholamines
F. Bernet, J.F. Dedieu, C. Laborie, V. Montel, J.P. Dupouy (France) 45

Decreased glucose transporter densities, rate constants and glucose utilization in visual structures of rat brain during chronic visual deprivation
R. Duelli, M.H. Maurer, W. Kuschinsky (Germany) 49

Apoptosis of cerebellar granule cells induced by serum withdrawal, glutamate or β-amyloid, is independent of Jun kinase or p38 mitogen activated protein kinase activation
F.J. Gunn-Moore, J.M. Tavaré (UK) 53

Influence of neonatal focal cerebral hypoxia-ischemia on cardiovascular and neurobehavioral functions in adult Wistar rats
D. Antier, B.-L. Zhang, D. Poisson, L. Pourcelot, F. Sannajust (France) 57

Muscular after-contraction and ongoing postural reactions in standing and sitting humans
M. Ghafouri, F. Thullier, V.S. Gurfinkel, F.G. Lestienne (France, Russia) 61

Gastric related neurons in the rat medial vestibular nucleus
V.G. Aleksandrov, V.A. Bagaev, A.D. Nozdrachev (Russia) 66

Butyrylcholinesterase K variant and apolipoprotein E4 genes do not act in synergy in Finnish late-onset Alzheimer's disease patients
M. Hiltunen, A. Mannermaa, S. Helisalmi, A. Koivisto, M. Lehtovirta, M. Ryynänen, P. Riekkinen Sr., H. Soininen (Finland) 69

Human scalp-recorded EEG may be a result of activity of weakly-coupled subsystems
A. Sulimov (Russia) 72

Volume 250, no. 2

β-Amyloid increases cathepsin D levels in hippocampus
K.B. Hoffman, X. Bi, J.T. Pham, G. Lynch (USA) 75

No association of α_1-antichymotrypsin flanking region polymorphism and Alzheimer disease risk in early- and late-onset Alzheimer disease patients
M.P. Bass, L.H. Yamaoka, W.K. Scott, P. Craig Gaskell, K.A. Welsh-Bohmer, A.D. Roses, A.M. Saunders, J.L. Haines, M.A. Pericak-Vance (USA) 79

ELSEVIER

Neuroscience Letters 250 (1998) 212–214

Neuroscience Letters

Contents to Volume 250

Volume 250, no. 1

Guidelines for the Submission of Manuscripts v

Brefeldin A-induced apoptosis is expressed in rat neurons with dephosphorylated tau protein
C. Yardin, F. Terro, F. Esclaire, M. Rigaud, J. Hugon (France) 1

Motor cortex plasticity during constraint-induced movement therapy in stroke patients
J. Liepert, W.H.R. Miltner, H. Bauder, M. Sommer, C. Dettmers, E. Taub, C. Weiller (Germany, USA) 5

JTP-2942, a novel thyrotropin-releasing hormone analogue, protects against spinal motor neuron degeneration in the wobbler mouse
K. Ikeda, Y. Iwasaki, M. Kinoshita (Japan) 9

Effects of hippocampal lesions on striatolimbic ionotropic glutamatergic receptors
F.I. Tarazi, A. Campbell, R.J. Baldessarini (USA) 13

Sensitivity of the rat hippocampal $GABA_A$ receptor $\alpha 4$ subunit to electroshock seizures
M. Clark (USA) 17

Nociceptin/orphanin FQ binding increases in superficial laminae of the rat spinal cord during persistent peripheral inflammation
Y.-p. Jia, D.R. Linden, J.R. Serie, V.S. Seybold (USA) 21

Effects of repeated systemic administration of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) to mice on interleukin-1β and nerve growth factor in the striatum
M. Mogi, A. Togari, M. Ogawa, K. Ikeguchi, N. Shizuma, D.-s. Fan, I. Nakano, T. Nagatsu (Japan) 25

Globus pallidus lesions inhibit the induction of c-Fos by haloperidol in the basal ganglia output nuclei in rats
H. Miwa, K. Nishi, T. Fuwa, Y. Mizuno (Japan) 29

An increase in [^{3}H]QNB binding by proton-beam irradiation in intact rat brain: an apparent positive cooperativity of binding
O. Inoue, K. Kobayashi, N. Takai, Y. Furusawa, K. Ando, T. Nakano, T. Nishimura (Japan) 33

The identification of secreted heat shock 60 -like protein from rat glial cells and a human neuroblastoma cell line
M. Bassan, R. Zamostiano, E. Giladi, A. Davidson, Y. Wollman, J. Pitman, J. Hauser, D.E. Brenneman, I. Gozes (Israel, USA) 37

Dopamine-degrading activity of monoamine oxidase in locus coeruleus and dorsal raphe nucleus neurons. A histochemical study in the rat
R. Arai, K. Horiike, Y. Hasegawa (Japan) 41

Circulating neuropeptide Y (NPY) and catecholamines in rat under resting and stress conditions. Arguments for extra-adrenal origin of NPY, adrenal and extra-adrenal sources of catecholamines
F. Bernet, J.F. Dedieu, C. Laborie, V. Montel, J.P. Dupouy (France) 45

Decreased glucose transporter densities, rate constants and glucose utilization in visual structures of rat brain during chronic visual deprivation
R. Duelli, M.H. Maurer, W. Kuschinsky (Germany) 49

Apoptosis of cerebellar granule cells induced by serum withdrawal, glutamate or β-amyloid, is independent of Jun kinase or p38 mitogen activated protein kinase activation
F.J. Gunn-Moore, J.M. Tavaré (UK) 53

Influence of neonatal focal cerebral hypoxia-ischemia on cardiovascular and neurobehavioral functions in adult Wistar rats
D. Antier, B.-L. Zhang, D. Poisson, L. Pourcelot, F. Sannajust (France) 57

Muscular after-contraction and ongoing postural reactions in standing and sitting humans
M. Ghafouri, F. Thullier, V.S. Gurfinkel, F.G. Lestienne (France, Russia) 61

Gastric related neurons in the rat medial vestibular nucleus
V.G. Aleksandrov, V.A. Bagaev, A.D. Nozdrachev (Russia) 66

Butyrylcholinesterase K variant and apolipoprotein E4 genes do not act in synergy in Finnish late-onset Alzheimer's disease patients
M. Hiltunen, A. Mannermaa, S. Helisalmi, A. Koivisto, M. Lehtovirta, M. Ryynänen, P. Riekkinen Sr., H. Soininen (Finland) 69

Human scalp-recorded EEG may be a result of activity of weakly-coupled subsystems
A. Sulimov (Russia) 72

Volume 250, no. 2

β-Amyloid increases cathepsin D levels in hippocampus
K.B. Hoffman, X. Bi, J.T. Pham, G. Lynch (USA) 75

No association of α_1-antichymotrypsin flanking region polymorphism and Alzheimer disease risk in early- and late-onset Alzheimer disease patients
M.P. Bass, L.H. Yamaoka, W.K. Scott, P. Craig Gaskell, K.A. Welsh-Bohmer, A.D. Roses, A.M. Saunders, J.L. Haines, M.A. Pericak-Vance (USA) 79

Apolipoprotein E and Tau phosphorylation in human neuroblastoma cells
M.-L. Caillet-Boudin, L. Dupont-Wallois, C. Soulié, A. Delacourte (France) 83
GDNF expression is increased in denervated human skeletal muscle
D.C. Lie, J. Weis (Germany, Switzerland) 87
Non-linear behaviour of human EEG: fractal exponent versus correlation dimension in awake and sleep stages
E. Pereda, A. Gamundi, R. Rial, J. González (Spain) 91
5-HT_{1A} receptors mediate inhibition of ethanol-induced ascorbic acid release in rat striatum studied by microdialysis
C.-F. Wu, J. Liu, S. Consolo, W. Liu (China, Italy) 95
Circadian activity precedes daily methamphetamine injections in the rat
A.E.K. Kosobud, N.C. Pecoraro, G.V. Rebec, W. Timberlake (USA) 99
Lamprey ganglion cells contact photoreceptor cells
J.P. Rio, N.P. Vesselkin, J. Repérant, N.B. Kenigfest, C. Versaux-Botteri (France, Russia) 103
Co-localization of calretinin and parvalbumin with nicotinamide adenine dinucleotide phosphate-diaphorase in tench Mauthner cells
C. Crespo, R. Arévalo, J.G. Briñón, A. Porteros, J. Aijón, J.R. Alonso (Spain) 107
Opening of ATP-sensitive potassium channels by cromakalim confers tolerance against chemical ischemia in rat neuronal cultures
A. Reshef, O. Sperling, E. Zoref-Shani (Israel) 111
Nitric oxide does not mediate cerebral blood flow changes during cortical spreading depression in the anaesthetised rat
S.J. Read, A.A. Parsons (UK) 115
The daily pattern of Fos synthesis by hypothalamic pro-opiomelanocortin neurons is unaffected by adrenalectomy in the rat
K.A. Jamali, M. Corio, P. Dubourg, C. Thenailler, G. Tramu (France) 119
GABA transporter-1 (GAT-1) immunoreactivity in the cat periaqueductal gray matter
P. Barbaresi, G. Gazzanelli, M. Malatesta (Italy) 123
Pathomechanism of mammalian downbeat nystagmus due to cerebellar lesion: a simple hypothesis
A. Böhmer, D. Straumann (Switzerland) 127
Regional decreases of free d-aspartate levels in Alzheimer's disease
A. D'Aniello, J.M. Lee, L. Petrucelli, M.M. Di Fiore (Italy, USA) 131
Differences in a dinucleotide repeat polymorphism in the tau gene between Caucasian and Japanese populations: implication for progressive supranuclear palsy
C. Conrad, N. Amano, A. Andreadis, Y. Xia, K. Namekataf, F. Oyama, K. Ikeda, K. Wakabayashi, H. Takahashi, L.J. Thal, R. Katzman, D.A. Shackelford, M. Matsushita, E. Masliah, A. Sawa (USA, Japan) 135
Lack of evidence for Marek's disease virus genomic sequences in leukocyte DNA from multiple sclerosis patients in Germany
H. Hennig, K. Wessel, P. Sondermeijer, H. Kirchner, K.P. Wandinger (Germany, The Netherlands) 138

Volume 250, no. 3

Crossed reduction of human motor cortex excitability by 1-Hz transcranial magnetic stimulation
E.M. Wassermann, F.R. Wedegaertner, U. Ziemann, M.S. George, R. Chen (USA) 141
The β-oxidation of arachidonic acid and the synthesis of docosahexaenoic acid are selectively and consistently altered in skin fibroblasts from three Zellweger patients versus X-adrenoleukodystrophy, Alzheimer and control subjects
A. Petroni, B. Bertagnolio, P. La Spada, M. Blasevich, N. Papini, S. Govoni, M. Rimoldi, C. Galli (Italy) 145
ATP in endolymph enhances electrically-evoked oto-acoustic emissions from the guinea pig cochlea
D.L. Kirk, G.K. Yates (Australia) 149
Evidence that myoelectric complexes in the isolated mouse colon may not be of myogenic origin
N.J. Spencer, R.A.R. Bywater, G.S. Taylor (Australia) 153
Circadian periods of single suprachiasmatic neurons in rats
S. Honma, T. Shirakawa, Y. Katsuno, M. Namihira, K.-i. Honma (Japan) 157
Imaging of the super high affinity binding sites for [^{3}H]Ro15–4513 in rat hippocampus: comparison between in vitro and in vivo binding
T. Nakano, T. Satoh, K. Mori, O. Inoue (Japan) 161
Antioxidant protection of cerebellar β-adrenergic receptor function in aged F344 rats
T.J. Gould, K. Chadman, P.C. Bickford (USA) 165
Neuron density and distribution of NADPH-diaphorase positive neurons in the human stomach
L.I. Manneschi, M.G. Vannucchi, P. Bechi, M.S. Faussone-Pellegrini (Italy) 169
Oxidative stress and overexpression of manganese superoxide dismutase in patients with Alzheimer's disease
M.E. De Leo, S. Borrello, M. Passantino, B. Palazzotti, A. Mordente, A. Daniele, V. Filippini, T. Galeotti, C. Masullo (Italy) 173
Capsaicin sensitivity is associated with the expression of the vanilloid (capsaicin) receptor (VR1) mRNA in adult rat sensory ganglia
R.J.A. Helliwell, L.M. McLatchie, M. Clarke, J. Winter, S. Bevan, P. McIntyre (UK) 177
Molecular cloning of serotonin *N*-acetyltransferase gene from the mouse and its daily expression in the retina
K. Sakamoto, N. Ishida (Japan) 181
Agmatine containing axon terminals in rat hippocampus form synapses on pyramidal cells
D.J. Reis, X.-C. Yang, T.A. Milner (USA) 185
Absence of association between Alzheimer disease and the − 491 regulatory region polymorphism of APOE

Y.-Q. Song, E. Rogaeva, S. Premkumar, N. Brindle, T. Kawarai, An. Orlacchio, G. Yu, G. Levesque, M. Nishimura, M. Ikeda, Y. Pei, C. O'Toole, R. Duara, W. Barker, S. Sorbi, M. Freedman, L. Farrer, P. St. George-Hyslop (Canada, USA, Italy) 189
Antinociceptive tolerance to the mu-opioid agonist DAMGO is dose-dependently reduced by MK-801 in rats
J. Mao, D.D. Price, J. Lu, D.J. Mayer (USA) 193
Increases in spontaneous activity in the dorsal cochlear nucleus of the rat following exposure to high-intensity sound
J.S. Zhang, J.A. Kaltenbach (USA) 197
Somatostatin immunoreactivity in esophageal premotor neurons of the rat
D.L. Broussard, X. Bao, S.M. Altschuler (USA) 201
Increased capsaicin-induced secondary hyperalgesia as a marker of abnormal sensory activity in patients with fibromyalgia
V. Morris, S. Cruwys, B. Kidd (UK) 205

Author Index to Volume 250 208
Contents to Volume 250 212